

Nummernkreis (Naming Series)

Seit Version 13 kann der Nummernkreis auf DocTypes fast beliebig angepasst werden.

Einleitung

In ERPNext können wir für eine Vielzahl von Dokumenten einen Nummernkreis einstellen. Für das ordentliche anlegen von Daten essentiell. Das Feld **name** in jeder Listenansicht wird immer der Nummernkreis sein sofern am DocType der Nummernkreis eingestellt ist.

Den Nummernkreis zeichnet aus, dass er zählt. Wählen wir als Namensgebung ein Feld wie **Titel** muss der Name genauso einmal sein wie es beim Nummernkreis gefordert wird. Dopplungen gibt es nur DocType übergreifend. So kann z.B. ein Kunde den gleichen Namen wie ein Lieferant tragen obwohl beide so eingestellt sind, dass der Klurname den "Name" ausmacht (Nummernkreis, Kundennummer etc. nicht eingestellt).

Vorkenntnisse


Um diesen DocType besser zu verstehen sollten wir uns mit

- der Rolle Systemmanager auskennen und
- DocType erstellt bzw. bearbeitet



haben.

Nummernkreis einstellen



Mit den entsprechenden Rechten können wir fast jeden beliebigen DocType anpassen. Dort finden wir unter der "Felder-Tabelle" den Abschnitt Naming.








 > Customize Form

Q Search or type a command (Ctrl + G)

 Help 

Customize Form • Not Saved


Customize Child Table  Actions  **Update**

<input type="checkbox"/>	74	Rule Description	Small Text	rule_description	<input type="checkbox"/>		 Edit
<input type="checkbox"/>	75		Section Break	help_section	<input type="checkbox"/>	Simple	 Edit
<input type="checkbox"/>	76	Pricing Rule Help	HTML	pricing_rule_help	<input type="checkbox"/>		 Edit
<input type="checkbox"/>	77	Reference	Section Break	reference_section	<input type="checkbox"/>		 Edit
<input type="checkbox"/>	78	Promotional Scheme Id	Data	promotional_scheme_id	<input type="checkbox"/>		 Edit
<input type="checkbox"/>	79	Promotional Scheme	Link	promotional_scheme	<input type="checkbox"/>	Promotional Scheme	 Edit
<input type="checkbox"/>	80	Naming Series	Data	naming_series	<input type="checkbox"/>	Options	 Edit

Add Row

First < 2 of 2 > Last

Download Upload

Naming 

Auto Name

naming_series

1

Auto Name auf naming_series umstellen...

Naming Options:

1. field:[fieldname] - By Field

2. naming_series: - By Naming Series (field called naming_series must be present)

3. Prompt - Prompt user for a name

4. [series] - Series by prefix (separated by a dot); for example PRE.####

5. format:EXAMPLE-(MM)morewords(fieldname1)-{fieldname2}-(####) - Replace all braced words (fieldnames, date words (DD, MM, YY), series) with their value. Outside braces, any characters can be used.

1.) Auto Name auf naming_series umstellen und speichern.

Customize Form Not Saved Search or type a command (Ctrl + G) Help A

Customize Form Not Saved Customize Child Table Actions Update 4

<input type="checkbox"/>	71	Apply Multiple Pricing Rules	Check	apply_multiple_pricing_rules	<input type="checkbox"/>		Edit
<input type="checkbox"/>	72	Apply Discount on Discounte...	Check	apply_discount_on_rate	<input type="checkbox"/>		Edit
<input type="checkbox"/>	73	Validate Applied Rule	Check	validate_applied_rule	<input type="checkbox"/>		Edit
<input type="checkbox"/>	74	Rule Description	Small Text	rule_description	<input type="checkbox"/>		Edit
<input type="checkbox"/>	75		Section Break	help_section	<input type="checkbox"/>	Simple	Edit
<input type="checkbox"/>	76	Pricing Rule Help	HTML	pricing_rule_help	<input type="checkbox"/>		Edit
<input type="checkbox"/>	77	Reference	Section Break	reference_section	<input type="checkbox"/>		Edit
<input type="checkbox"/>	78	Promotional Scheme Id	Data	promotional_scheme_id	<input type="checkbox"/>		Edit
<input type="checkbox"/>	79	Promotional Scheme	Link	promotional_scheme	<input type="checkbox"/>	Promotional Scheme	Edit
<input checked="" type="checkbox"/>	80	Naming Series	Data	naming_series	<input type="checkbox"/>	Options	Edit

Add Row 2 First 2 of 2 Last Download Upload

Add Row anklicken und in die neu erstellte Zeile den Namen "Naming Series" eingeben, type: Data anschließen speichern!

Naming Auto Name

naming_series 1

Naming Options:

1. **field:[fieldname]** - By Field
2. **naming_series:** - By Naming Series (field called naming_series must be present)
3. **Prompt** - Prompt user for a name
4. **[series]** - Series by prefix (separated by a dot); for example PRE.####
5. **format:EXAMPLE-{MM}morewords{fieldname1}-{fieldname2}-{####}** - Replace all braced words (fieldnames, date words (DD, MM, YY), series) with their value. Outside braces, any characters can be used.

2.) Auf "Add Row" klicken um einen neue Zeile zu erstellen.

3.) Auf der neu erstellten Zeile als Name "Naming Series" eingeben, Type Data.
Speichern!

4.) Speichern "Update"

" data-bbox="54 40 945 416"/>

Jetzt kann in `--https://exampleERP/app/naming-series/Naming%20Series--` die Namingseries angepasst werden.

Beispiele zur Funktion: (siehe Itz. Screenshot innerhalb Rotes Quadrat)

Wo Nummernkreise zwingend notwendig sind

Ausgangsrechnung

Für das Finanzamt ist eine Rechnungsnummer zwingend notwendig. Hier wird darauf geachtet, dass diese lückenlos geführt werden. Hier ist das einstellen eines Nummernkreises unumgänglich.

Wo Nummernkreise sinnvoll sind

Nummernkreise können überall dort besonders gut eingesetzt werden wo etwas automatisch hochgezählt werden soll.

Weiterführende Themen

- [Dokumentenbenennungsregel](#)

Version #11

Erstellt: 1 Dezember 2020 19:14:26

Zuletzt aktualisiert: 9 September 2024 10:18:58